

# **RT<sup>2</sup> Profiler PCR Array (96-Well Format and 384-Well [4 x 96] Format)**

## **Human Angiogenesis**

**Cat. no. 330231 PAHS-024ZA**

**For pathway expression analysis**

| <b>Format</b>                                   | <b>For use with the following real-time cyclers</b>  |
|---|--|
| RT <sup>2</sup> Profiler PCR Array,<br>Format A | Applied Biosystems® models 5700, 7000, 7300, 7500,<br>7700, 7900HT, ViiA™ 7 (96-well block); Bio-Rad® models<br>iCycler®, iQ™ 5, MyiQ™, MyiQ2; Bio-Rad/MJ Research<br>Chromo4™; Eppendorf® Mastercycler® ep realplex models<br>2, 2s, 4, 4s; Stratagene® models Mx3005P®, Mx3000P®;<br>Takara TP-800 |
| RT <sup>2</sup> Profiler PCR Array,<br>Format C | Applied Biosystems models 7500 (Fast block), 7900HT (Fast<br>block), StepOnePlus™, ViiA 7 (Fast block)   |
| RT <sup>2</sup> Profiler PCR Array,<br>Format D | Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA<br>Engine Opticon®, DNA Engine Opticon 2; Stratagene<br>Mx4000®   |
| RT <sup>2</sup> Profiler PCR Array,<br>Format E | Applied Biosystems models 7900HT (384-well block), ViiA 7<br>(384-well block); Bio-Rad CFX384™   |
| RT <sup>2</sup> Profiler PCR Array,<br>Format F | Roche® LightCycler® 480 (96-well block)  |
| RT <sup>2</sup> Profiler PCR Array,<br>Format G | Roche LightCycler 480 (384-well block)   |
| RT <sup>2</sup> Profiler PCR Array,<br>Format H | Fluidigm® BioMark™   |



---

**Sample & Assay Technologies**

## Description

The Human Angiogenesis RT<sup>2</sup> Profiler PCR Array profiles the expression of 84 key genes involved in modulating the biological processes of angiogenesis. The array includes growth factors and their receptors, chemokines and cytokines, matrix and adhesion molecules, proteases and their inhibitors, as well as transcription factors, all involved in the development of new blood vessels. Angiogenesis is a hallmark in the pathology of many diseases, including cancer, ischemia, atherosclerosis, and inflammatory diseases. Angiogenesis plays additional roles in normal development and physiological processes in adults, including wound healing and tissue regeneration. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to angiogenesis with this array.

For further details, consult the *RT<sup>2</sup> Profiler PCR Array Handbook*.

## Shipping and storage

RT<sup>2</sup> Profiler PCR Arrays in formats A, C, D, E, F, and G are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products. RT<sup>2</sup> Profiler PCR Arrays in format H are shipped on dry ice or blue ice packs.

For long term storage, keep plates at -20°C.

**Note:** Ensure that you have the correct RT<sup>2</sup> Profiler PCR Array format for your real-time cycler (see table above).

**Note:** Open the package and store the products appropriately immediately on receipt.



## Array layout (96-well)

For 384-well 4 x 96 PCR arrays, genes are present in a staggered format. Refer to the RT<sup>2</sup> Profiler PCR Array Handbook for layout.

|   | 1     | 2     | 3      | 4      | 5       | 6        | 7        | 8     | 9     | 10     | 11      | 12     |
|---|-------|-------|--------|--------|---------|----------|----------|-------|-------|--------|---------|--------|
| A | AKT1  | ANG   | ANGPT1 | ANGPT2 | ANGPTL4 | ANPEP    | BAI1     | CCL11 | CCL2  | CDH5   | COL18A1 | COL4A3 |
| B | CTGF  | CXCL1 | CXCL10 | CXCL5  | CXCL6   | CXCL9    | EDN1     | EFNA1 | EFNB2 | EGF    | ENG     | EPHB4  |
| C | ERBB2 | F3    | FGF1   | FGF2   | FGFR3   | FIGF     | FLT1     | FN1   | HGF   | HIF1A  | HPSE    | ID1    |
| D | IFNA1 | IFNG  | IGF1   | IL1B   | IL6     | IL8      | ITGAV    | ITGB3 | JAG1  | KDR    | LECT1   | LEP    |
| E | MDK   | MMP14 | MMP2   | MMP9   | NOS3    | NOTCH4   | NRPI     | NRP2  | PDGFA | PECAM1 | PF4     | PGF    |
| F | PLAU  | PLG   | PROK2  | PTGS1  | S1PR1   | SERPINE1 | SERPINF1 | SPHK1 | TEK   | TGFA   | TGFB1   | TGFB2  |
| G | TGFB1 | THBS1 | THBS2  | TIE1   | TIMP1   | TIMP2    | TIMP3    | TNF   | TYMP  | VEGFA  | VEGFB   | VEGFC  |
| H | ACTB  | B2M   | GAPDH  | HPRT1  | RPLPO   | HGDC     | RTC      | RTC   | PPC   | PPC    | PPC     | PPC    |

## Gene table: RT<sup>2</sup> Profiler PCR Array

| Position | UniGene   | GenBank      | Symbol  | Description  |
|----------|-----------|--------------|---------|--|
| A01      | Hs.525622 | NM_005163    | AKT1    | V-akt murine thymoma viral oncogene homolog 1  |
| A02      | Hs.283749 | NM_001145    | ANG     | Angiogenin, ribonuclease, RNase A family, 5  |
| A03      | Hs.369675 | NM_001146    | ANGPT1  | Angiopoietin 1   |
| A04      | Hs.583870 | NM_001147    | ANGPT2  | Angiopoietin 2   |
| A05      | Hs.9613   | NM_001039667 | ANGPTL4 | Angiopoietin-like 4  |
| A06      | Hs.1239   | NM_001150    | ANPEP   | Alanyl (membrane) aminopeptidase   |
| A07      | Hs.194654 | NM_001702    | BAI1    | Brain-specific angiogenesis inhibitor 1  |
| A08      | Hs.54460  | NM_002986    | CCL11   | Chemokine (C-C motif) ligand 11  |
| A09      | Hs.303649 | NM_002982    | CCL2    | Chemokine (C-C motif) ligand 2   |
| A10      | Hs.76206  | NM_001795    | CDH5    | Cadherin 5, type 2 (vascular endothelium)  |
| A11      | Hs.517356 | NM_030582    | COL18A1 | Collagen, type XVIII, alpha 1  |
| A12      | Hs.570065 | NM_000091    | COL4A3  | Collagen, type IV, alpha 3 (Goodpasture antigen)   |
| B01      | Hs.591346 | NM_001901    | CTGF    | Connective tissue growth factor  |
| B02      | Hs.789    | NM_001511    | CXCL1   | Chemokine (C-X-C motif) ligand 1 (melanoma growth stimulating activity, alpha)                                 |
| B03      | Hs.632586 | NM_001565    | CXCL10  | Chemokine (C-X-C motif) ligand 10  |
| B04      | Hs.89714  | NM_002994    | CXCL5   | Chemokine (C-X-C motif) ligand 5   |
| B05      | Hs.164021 | NM_002993    | CXCL6   | Chemokine (C-X-C motif) ligand 6 (granulocyte chemotactic protein 2)   |
| B06      | Hs.77367  | NM_002416    | CXCL9   | Chemokine (C-X-C motif) ligand 9   |
| B07      | Hs.511899 | NM_001955    | EDN1    | Endothelin 1   |
| B08      | Hs.516664 | NM_182685    | EFNA1   | Ephrin-A1  |
| B09      | Hs.149239 | NM_004093    | EFNB2   | Ephrin-B2  |
| B10      | Hs.419815 | NM_001963    | EGF     | Epidermal growth factor  |
| B11      | Hs.76753  | NM_000118    | ENG     | Endoglin   |
| B12      | Hs.437008 | NM_004444    | EPHB4   | EPH receptor B4  |
| C01      | Hs.446352 | NM_004448    | ERBB2   | V-erb-b2 erythroblastic leukemia viral oncogene homolog 2, neuro/glioblastoma derived oncogene homolog (avian) |
| C02      | Hs.62192  | NM_001993    | F3      | Coagulation factor III (thromboplastin, tissue factor)   |
| C03      | Hs.483635 | NM_000800    | FGF1    | Fibroblast growth factor 1 (acidic)  |
| C04      | Hs.284244 | NM_002006    | FGF2    | Fibroblast growth factor 2 (basic)   |
| C05      | Hs.1420   | NM_000142    | FGFR3   | Fibroblast growth factor receptor 3  |
| C06      | Hs.11392  | NM_004469    | FIGF    | C-fos induced growth factor (vascular endothelial growth factor D)   |
| C07      | Hs.654360 | NM_002019    | FLT1    | Fms-related tyrosine kinase 1 (vascular endothelial growth factor/vascular permeability factor receptor)       |
| C08      | Hs.203717 | NM_002026    | FN1     | Fibronectin 1  |
| C09      | Hs.396530 | NM_000601    | HGF     | Hepatocyte growth factor (hepatopoietin A; scatter factor)   |
| C10      | Hs.597216 | NM_001530    | HIF1A   | Hypoxia inducible factor 1, alpha subunit (basic helix-loop-helix transcription factor)                        |
| C11      | Hs.44227  | NM_006665    | HPSE    | Heparanase   |
| C12      | Hs.504609 | NM_002165    | ID1     | Inhibitor of DNA binding 1, dominant negative helix-loop-helix protein   |
| D01      | Hs.37026  | NM_024013    | IFNA1   | Interferon, alpha 1  |
| D02      | Hs.856    | NM_000619    | IFNG    | Interferon, gamma  |
| D03      | Hs.160562 | NM_000618    | IGF1    | Insulin-like growth factor 1 (somatomedin C)   |
| D04      | Hs.126256 | NM_000576    | IL1B    | Interleukin 1, beta  |
| D05      | Hs.654458 | NM_000600    | IL6     | Interleukin 6 (interferon, beta 2)   |
| D06      | Hs.624    | NM_000584    | IL8     | Interleukin 8  |

| <b>Position</b> | <b>UniGene</b> | <b>GenBank</b> | <b>Symbol</b> | <b>Description</b>   |
|-----------------|----------------|----------------|---------------|--|
| D07             | Hs.436873      | NM_002210      | ITGAV         | Integrin, alpha V (vitronectin receptor, alpha polypeptide, antigen CD51)                              |
| D08             | Hs.218040      | NM_000212      | ITGB3         | Integrin, beta 3 (platelet glycoprotein IIIa, antigen CD61)  |
| D09             | Hs.728907      | NM_000214      | JAG1          | Jagged 1   |
| D10             | Hs.479756      | NM_002253      | KDR           | Kinase insert domain receptor (a type III receptor tyrosine kinase)                                    |
| D11             | Hs.421391      | NM_007015      | LECT1         | Leukocyte cell derived chemotaxin 1  |
| D12             | Hs.194236      | NM_000230      | LEP           | Leptin   |
| E01             | Hs.82045       | NM_002391      | MDK           | Midkine (neurite growth-promoting factor 2)  |
| E02             | Hs.2399        | NM_004995      | MMP14         | Matrix metallopeptidase 14 (membrane-inserted)   |
| E03             | Hs.513617      | NM_004530      | MMP2          | Matrix metallopeptidase 2 (gelatinase A, 72kDa gelatinase, 72kDa type IV collagenase)                  |
| E04             | Hs.297413      | NM_004994      | MMP9          | Matrix metallopeptidase 9 (gelatinase B, 92kDa gelatinase, 92kDa type IV collagenase)                  |
| E05             | Hs.707978      | NM_000603      | NOS3          | Nitric oxide synthase 3 (endothelial cell)   |
| E06             | Hs.436100      | NM_004557      | NOTCH4        | Notch 4  |
| E07             | Hs.131704      | NM_003873      | NRP1          | Neuropilin 1   |
| E08             | Hs.471200      | NM_003872      | NRP2          | Neuropilin 2   |
| E09             | Hs.535898      | NM_002607      | PDGFA         | Platelet-derived growth factor alpha polypeptide   |
| E10             | Hs.514412      | NM_000442      | PECAM1        | Platelet/endothelial cell adhesion molecule  |
| E11             | Hs.81564       | NM_002619      | PF4           | Platelet factor 4  |
| E12             | Hs.252820      | NM_002632      | PGF           | Placental growth factor  |
| F01             | Hs.77274       | NM_002658      | PLAU          | Plasminogen activator, urokinase   |
| F02             | Hs.143436      | NM_000301      | PLG           | Plasminogen  |
| F03             | Hs.528665      | NM_021935      | PROK2         | Prokineticin 2   |
| F04             | Hs.201978      | NM_000962      | PTGS1         | Prostaglandin-endoperoxide synthase 1 (prostaglandin G/H synthase and cyclooxygenase)                  |
| F05             | Hs.154210      | NM_001400      | S1PR1         | Sphingosine-1-phosphate receptor 1   |
| F06             | Hs.414795      | NM_000602      | SERPINE1      | Serpin peptidase inhibitor, clade E (nexin, plasminogen activator inhibitor type 1), member 1          |
| F07             | Hs.532768      | NM_002615      | SERPINF1      | Serpin peptidase inhibitor, clade F (alpha-2 antiplasmin, pigment epithelium derived factor), member 1 |
| F08             | Hs.68061       | NM_021972      | SPHK1         | Sphingosine kinase 1   |
| F09             | Hs.89640       | NM_000459      | TEK           | TEK tyrosine kinase, endothelial   |
| F10             | Hs.170009      | NM_003236      | TGFA          | Transforming growth factor, alpha  |
| F11             | Hs.645227      | NM_000660      | TGFBI         | Transforming growth factor, beta 1   |
| F12             | Hs.133379      | NM_003238      | TGFBI2        | Transforming growth factor, beta 2   |
| G01             | Hs.494622      | NM_004612      | TGFBRI        | Transforming growth factor, beta receptor 1  |
| G02             | Hs.164226      | NM_003246      | THBS1         | Thrombospondin 1   |
| G03             | Hs.371147      | NM_003247      | THBS2         | Thrombospondin 2   |
| G04             | Hs.78824       | NM_005424      | TIE1          | Tyrosine kinase with immunoglobulin-like and EGF-like domains 1  |
| G05             | Hs.522632      | NM_003254      | TIMP1         | TIMP metallopeptidase inhibitor 1  |
| G06             | Hs.633514      | NM_003255      | TIMP2         | TIMP metallopeptidase inhibitor 2  |
| G07             | Hs.644633      | NM_000362      | TIMP3         | TIMP metallopeptidase inhibitor 3  |
| G08             | Hs.241570      | NM_000594      | TNF           | Tumor necrosis factor  |
| G09             | Hs.592212      | NM_001953      | TYMP          | Thymidine phosphorylase  |
| G10             | Hs.73793       | NM_003376      | VEGFA         | Vascular endothelial growth factor A   |
| G11             | Hs.78781       | NM_003377      | VEGFB         | Vascular endothelial growth factor B   |
| G12             | Hs.435215      | NM_005429      | VEGFC         | Vascular endothelial growth factor C   |
| H01             | Hs.520640      | NM_001101      | ACTB          | Actin, beta  |
| H02             | Hs.534255      | NM_004048      | B2M           | Beta-2-microglobulin   |
| H03             | Hs.592355      | NM_002046      | GAPDH         | Glyceraldehyde-3-phosphate dehydrogenase   |
| H04             | Hs.412707      | NM_000194      | HPRT1         | Hypoxanthine phosphoribosyltransferase 1   |
| H05             | Hs.546285      | NM_001002      | RPLP0         | Ribosomal protein, large, P0   |
| H06             | N/A            | SA_00105       | HGDC          | Human Genomic DNA Contamination  |
| H07             | N/A            | SA_00104       | RTC           | Reverse Transcription Control  |
| H08             | N/A            | SA_00104       | RTC           | Reverse Transcription Control  |
| H09             | N/A            | SA_00104       | RTC           | Reverse Transcription Control  |
| H10             | N/A            | SA_00103       | PPC           | Positive PCR Control   |
| H11             | N/A            | SA_00103       | PPC           | Positive PCR Control   |
| H12             | N/A            | SA_00103       | PPC           | Positive PCR Control   |

## Related products

For optimal performance, RT<sup>2</sup> Profiler PCR Arrays should be used together with the RT<sup>2</sup> First Strand Kit for cDNA synthesis and RT2 SYBR® Green qPCR Mastermixes for PCR.

| Product  | Contents  | Cat. no. |
|--|---|----------|
| RT <sup>2</sup> First Strand Kit (12)                | Enzymes and reagents for cDNA synthesis   | 330401   |
| RT <sup>2</sup> SYBR Green qPCR Mastermix (2)*       | For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384, DNA Engine Opticon 2; Bio-Rad/MJ Research Chromo4; Roche LightCycler 480 (96-well and 384-well); all other cyclers   | 330500   |
| RT <sup>2</sup> SYBR Green ROX™ qPCR Mastermix (2)*  | For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and FAST], 7700, 7900HT 96-well block [Standard and FAST] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000; Takara TP-800 | 330520   |
| RT <sup>2</sup> SYBR Green Fluor qPCR Mastermix (2)* | For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2  | 330510   |

\* Larger kit sizes available; please inquire.

RT<sup>2</sup> Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at [www.qiagen.com](http://www.qiagen.com) or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN® (QIAGEN Group); Applied Biosystems®, ViiA™, StepOnePlus™, ROX™ (Applied Biosystems or its subsidiaries); Bio-Rad®, iCycler®, iQ™, MyIQ™, Chromo4™, CFX96™, DNA Engine Opticon®, CFX384™ (Bio-Rad Laboratories, Inc.) Stratagene®, Mx3005P®, Mx3000P®, Mx4000® (Stratagene); Eppendorf®, Mastercycler® (Eppendorf AG); Roche®, LightCycler® (Roche Group); Fluidigm® BioMark™ (Fluidigm Corporation); SYBR® (Molecular Probes, Inc.).

1066029 03/2011 © 2011 QIAGEN, all rights reserved.

[www.qiagen.com](http://www.qiagen.com)

**Canada** ■ 800-572-9613

**China** ■ 8621-3865-3865

**Denmark** ■ 80-885945

**Australia** ■ 1-800-243-800

**Austria** ■ 0800/281010

**Belgium** ■ 0800-79612

**Brazil** ■ 0800-557779

**Ireland** ■ 1800 555 049

**Italy** ■ 800-787980

**Japan** ■ 03-6890-7300

**Finland** ■ 0800-914416

**France** ■ 01-60-920-930

**Germany** ■ 02103-29-12000

**Hong Kong** ■ 800 933 965

**Norway** ■ 800-18859

**Singapore** ■ 1800-742-4368

**Spain** ■ 91-630-7050

**Sweden** ■ 020-790282

**Luxembourg** ■ 8002 2076

**Korea (South)** ■ 080-000-7145

**Mexico** ■ 01-800-7742-436

**The Netherlands** ■ 0800 0229592

**UK** ■ 01293-422-911

**USA** ■ 800-426-8157



Sample & Assay Technologies