# RT<sup>2</sup> Profiler PCR Array (Rotor-Gene® Format) Mouse Wound Healing

Cat. no. 330231 PAMM-121ZR

#### For pathway expression analysis

Format	For use with the following real-time cyclers		
RT <sup>2</sup> Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers		
Format R			

#### **Description**

The Mouse Wound Healing RT² Profiler PCR Array profiles the expression of 84 key genes central to the wound healing response. Wound healing progresses via three overlapping phases: inflammation, granulation and tissue remodeling. After cutaneous injury, a blood clot forms, and inflammatory cells infiltrate the wound, secreting cytokines and growth factors to promote the inflammation phase. During the granulation phase, fibroblasts and other cells differentiate into myofibroblasts, which deposit extracellular matrix (ECM) proteins. Simultaneously, angiogenesis occurs, and keratinocytes proliferate and migrate to close the wound. In the final tissue remodeling phase, apoptosis eliminates myofibroblasts and extraneous blood vessels, and the ECM is remodeled to resemble the original tissue. Dysregulation of this last tissue remodeling phase leads to fibrosis. This array contains genes important for each of the three phases of wound healing, including ECM remodeling factors, inflammatory cytokines and chemokines, as well as growth factors and major signaling molecules. Using real-time PCR, you can easily and reliably analyze the expression of a focused panel of genes involved in wound healing, tissue injury and repair with this array.

For further details, consult the RT<sup>2</sup> Profiler PCR Array Handbook.

#### Shipping and storage

RT<sup>2</sup> Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT2 Profiler PCR Array format for your real-time

cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



### **Array layout**

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc<sup>™</sup> (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

## Gene table: RT<sup>2</sup> Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.213025	NM_007392	Acta2	Actin, alpha 2, smooth muscle, aorta
A02	Mm.686	NM 009608	Actc1	Actin, alpha, cardiac muscle 1
A03	Mm.309336	NM_009640	Angpt1	Angiopoietin 1
A04	Mm.867	NM_011331	Ccl12	Chemokine (C-C motif) ligand 12
A05	Mm.341574	NM 013654	Ccl7	Chemokine (C-C motif) ligand 7
A06	Mm.4861	NM_011616	Cd40lg	CD40 ligand
A07	Mm.35605	NM 009864	Cdh1	Cadherin 1
A08	Mm.297859	NM 181277	Col14a1	Collagen, type XIV, alpha 1
A09	Mm.277735	NM 007742	Col1a1	Collagen, type I, alpha 1
A10	Mm.277792	NM 007743	Col1a2	Collagen, type I, alpha 2
A11	Mm.249555	NM 009930	Col3a1	Collagen, type III, alpha 1
A12	Mm.738	NM 009931	Col4a1	Collagen, type IV, alpha 1
B01	Mm.389135	NM 007734	Col4a3	Collagen, type IV, alpha 3
B02	Mm.7281	NM 015734	Col5a1	Collagen, type V, alpha 1
B03	Mm.10299	NM 007737	Col5a2	Collagen, type V, alpha 2
B04	Mm.334994	NM 016919	Col5a3	Collagen, type V, alpha 3
B05	Mm.4922	NM 009969	Csf2	Colony stimulating factor 2 (granulocyte-macrophage)
B06	Mm.1238	NM 009971	Csf3	Colony stimulating factor 3 (granulocyte)
B07	Mm.390287	NM 010217	Ctgf	Connective tissue growth factor
B07	Mm.291928	NM 007614	Ctnnb1	Catenin (cadherin associated protein), beta 1
B09	Mm.4858	NM 007800	Ctsg	Cateriin (cadneriin associated protein), beid 1  Cathepsin G
B10	Mm.272085	NM 007802	Ctsk	Cathepsin K
B10	Mm.930	NM_009984	Ctsl	Cathepsin K
B11	Mm.21013	NM 008176	Cxcl1	Chemokine (C-X-C motif) ligand 1
C01	Mm.131723	NM_019494	Cxcl11	, , ,
				Chemokine (C-X-C motif) ligand 11
C02	Mm.244289	NM_203320	Cxcl3	Chemokine (C-X-C motif) ligand 3
C03	Mm.4660	NM_009141	Cxcl5	Chemokine (C-X-C motif) ligand 5
C04	Mm.252481	NM_010113	Egf	Epidermal growth factor
C05	Mm.8534	NM_007912	Egfr	Epidermal growth factor receptor
C06	Mm.235105	NM_028784	F13a1	Coagulation factor XIII, A1 subunit
C07	Mm.273188	NM_010171	F3	Coagulation factor III
C08	Mm.88793	NM_010196	Fga	Fibrinogen alpha chain
C09	Mm.317323	NM_008002	Fgf10	Fibroblast growth factor 10
C10	Mm.473689	NM_008006	Fgf2	Fibroblast growth factor 2
C11	Mm.330557	NM_008008	Fgf7	Fibroblast growth factor 7
C12	Mm.289681	NM_010415	Hbegf	Heparin-binding EGF-like growth factor
D01	Mm.267078	NM_010427	Hgf	Hepatocyte growth factor
D02	Mm.240327	NM_008337	lfng	Interferon gamma
D03	Mm.268521	NM_010512	lgf1	Insulin-like growth factor 1
D04	Mm.874	NM_010548	II10	Interleukin 10
D05	Mm.222830	NM_008361	II1b	Interleukin 1 beta
D06	Mm.14190	NM_008366	II2	Interleukin 2
D07	Mm.276360	NM_021283	II4	Interleukin 4
D08	Mm.1019	NM_031168	ll6	Interleukin 6
D09	Mm.4364	NM_010560	ll6st	Interleukin 6 signal transducer
D10	Mm.482186	NM_001033228	ltga 1	Integrin alpha 1
D11	Mm.5007	NM_008396	ltga2	Integrin alpha 2
D12	Mm.57035	NM_013565	ltga3	Integrin alpha 3
E01	Mm.31903	NM_010576	ltga4	Integrin alpha 4
E02	Mm.16234	NM_010577	ltga5	Integrin alpha 5 (fibronectin receptor alpha)
E03	Mm.225096	NM_008397	ltga6	Integrin alpha 6
E04	Mm.227	NM_008402	Itgav	Integrin alpha V
E05	Mm.263396	NM 010578	ltgb1	Integrin beta 1 (fibronectin receptor beta)
	Mm.87150	NM 016780	ltgb3	Integrin beta 3
E06			0	
E06 E07	Mm.6424	NM 010580	ltab5	Integrin beta 5
	Mm.6424 Mm.98193	NM_010580 NM 021359	ltgb5 ltgb6	Integrin beta 5 Integrin beta 6

Position	UniGene	GenBank	Symbol	Description	
E10	Mm.8385	NM_011952	Mapk3	Mitogen-activated protein kinase 3	
E11	Mm.2326	NM_010798	Mif	Macrophage migration inhibitory factor	
E12	Mm.156952	NM_032006	Mmp1a	Matrix metallopeptidase 1a (interstitial collagenase)	
F01	Mm.29564	NM_008610	Mmp2	Matrix metallopeptidase 2	
F02	Mm.4825	NM_010810	Mmp7	Matrix metallopeptidase 7	
F03	Mm.4406	NM_013599	Mmp9	Matrix metallopeptidase 9	
F04	Mm.2675	NM_008808	Pdgfa	Platelet derived growth factor, alpha	
F05	Mm.154660	NM_008872	Plat	Plasminogen activator, tissue	
F06	Mm.4183	NM_008873	Plau	Plasminogen activator, urokinase	
F07	Mm.1359	NM_011113	Plaur	Plasminogen activator, urokinase receptor	
F08	Mm.971	NM_008877	Plg	Plasminogen	
F09	Mm.245395	NM_008960	Pten	Phosphatase and tensin homolog	
F10	Mm.292547	NM_011198	Ptgs2	Prostaglandin-endoperoxide synthase 2	
F11	Mm.292510	NM_009007	Rac1	RAS-related C3 botulinum substrate 1	
F12	Mm.757	NM_016802	Rhoa	Ras homolog gene family, member A	
G01	Mm.250422	NM_008871	Serpine1	Serine (or cysteine) peptidase inhibitor, clade E, member 1	
G02	Mm.249934	NM_011486	Stat3	Signal transducer and activator of transcription 3	
G03	Mm.283283	NM_011526	Tagln	Transgelin	
G04	Mm.137222	NM_031199	Tgfa	Transforming growth factor alpha	
G05	Mm.248380	NM_011577	Tgfb1	Transforming growth factor, beta 1	
G06	Mm.200775	NM_011578	Tgfbr3	Transforming growth factor, beta receptor III	
G07	Mm.8245	NM_011593	Timp1	Tissue inhibitor of metalloproteinase 1	
G08	Mm.1293	NM_013693	Tnf	Tumor necrosis factor	
G09	Mm.282184	NM_009505	Vegfa	Vascular endothelial growth factor A	
G10	Mm.3667	NM_011707	Vtn	Vitronectin	
G11	Mm.10222	NM_018865	Wisp1	WNT1 inducible signaling pathway protein 1	
G12	Mm.287544	NM_009524	Wnt5a	Wingless-related MMTV integration site 5A	
H01	Mm.328431	NM_007393	Actb	Actin, beta	
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin	
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta	
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1	
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA_00103	PPC	Positive PCR Control	

# **Related products**

For optimal performance, RT<sup>2</sup> Profiler PCR Arrays should be used together with the RT<sup>2</sup> First Strand Kit for cDNA synthesis and RT<sup>2</sup> SYBR<sup>®</sup> Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT <sup>2</sup> First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT <sup>2</sup> SYBR Green ROX <sup>™</sup> FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

<sup>\*</sup> Larger kit sizes available; please inquire.

RT<sup>2</sup> Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.aiaaen.com Australia • 1-800-243-800 Austria • 0800/281010 Belgium • 0800-79612 Brazil • 0800-557779

Canada • 800-572-9613 China • 8621-3865-3865 Denmark ■ 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hong Kong • 800 933 965

Ireland • 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico • 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway • 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland ■ 055-254-22-11 UK • 01293-422-911

