

QuantiNova® LNA® PCR Focus Panels (Rotor-Gene® Format)

Mouse Hypoxia Signaling Pathway

Cat. no. 249950 SBMM-032ZR

For study focus gene expression analysis

Shipping and storage

QuantiNova LNA PCR Focus Panels are shipped at ambient temperature. Immediately upon receipt, they should be stored at 2–8°C for short term storage or at –30°C to –15°C for long time storage. Under these conditions, all components are stable for at least 12 months.

Note: Open the package and store the products appropriately immediately upon receipt.

For optimal performance, QuantiNova LNA PCR Focus Panels should be used together with the QuantiNova Reverse Transcription Kit for cDNA synthesis and the QuantiNova SYBR® Green PCR Kit (Mastermix) for PCR.

Panel layout (Rotor-Gene): QuantiNova LNA PCR Focus Panel

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc® (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance. Refer to the QuantiNova LNA PCR System Handbook at www.qiagen.com for further details.

	1	2	3	4	5	6	7	8	9	10	11	12
A	Adm	Adora2b	Aldoa	Angptl4	Ankr3d7	Anxa2	Apexl	Arnt	Atr	Bhlhe40	Blm	Bnip3
B	Bnip3l	Btg1	Car9	Ccng2	Cops5	Ctsa	Ddit4	Dnajc5	Edn1	Egln1	Egln2	Egr1
C	Eif4ebp1	Eno1	Epo	Ero1l	F10	F3	Fos	Gbe1	Gpi1	Gys1	Hif1a	Hif1an
D	Hif3a	Hk2	Hmox1	Hnf4a	Ier3	Igfbp3	Jmjd6	Ldha	Lgals3	Lox	Map3k1	Met
E	Mitf	Mmp9	Mxi1	Nampt	Ncoa1	Ndrg1	Nfib1	Nos3	Odc1	P4ha1	P4hb	Pdk1
F	Per1	Pfkfb3	Pfkfb4	Pfk1	Pfkp	Pgam1	Pgf	Pgk1	Pim1	Pkm	Plau	Rbpj
G	Ruvbl2	Serpine1	Slc16a3	Slc2a1	Slc2a3	Tfrc	Tpi1	Trp53	Txnip	Usf2	Vdac1	Vegfa
H	Actb	B2m	Gapdh	Gusb	Hsp90ab1	MGDC	Q1C	Q1C	PPC	PPC	PPC	PPC

Gene table: QuantiNova LNA PCR Focus Panel

Position	Assay	Name	Symbol	Ensembl ID	Description
A01	SBM0999945	ENSMUST00000 185766.1	Adm	ENSMUSG00 000030790	adrenomedullin Source MGI Symbol Acc MGI 108058
A02	SBM0710490	ENSMUST00000 018644.2	Adora2b	ENSMUSG00 000018500	adenosine A2b receptor Source MGI Symbol Acc MGI 99403
A03	SBM1034918	ENSMUST00000 106348.7	Aldoa	ENSMUSG00 000030695	aldolase A, fructose-bisphosphate Source MGI Symbol Acc MGI 87994
A04	SBM0692606	ENSMUST00000 174872.1	Angptl4	ENSMUSG00 000002289	angiopoietin-like 4 Source MGI Symbol Acc MGI 1888999
A05	SBM1032055	ENSMUST00000 053558.9	Ankrd37	ENSMUSG00 000050914	ankyrin repeat domain 37 Source MGI Symbol Acc MGI 3603344
A06	SBM0732788	ENSMUST00000 136282.2	Anxa2	ENSMUSG00 000032231	annexin A2 Source MGI Symbol Acc MGI 88246
A07	SBM0874745	ENSMUST00000 128395.1	Apex1	ENSMUSG00 000035960	apurinic/pyrimidinic endonuclease 1 Source MGI Symbol Acc MGI 88042
A08	SBM0815999	ENSMUST00000 140060.1	Arnt	ENSMUSG00 000015522	aryl hydrocarbon receptor nuclear translocator Source MGI Symbol Acc MGI 88071
A09	SBM0707457	ENSMUST00000 189602.6	Atr	ENSMUSG00 000032409	ataxia telangiectasia and Rad3 related Source MGI Symbol Acc MGI 108028
A10	SBM1059378	ENSMUST00000 163617.1	Bhlhe40	ENSMUSG00 000030103	basic helix-loop-helix family, member e40 Source MGI Symbol Acc MGI 1097714
A11	SBM0777218	ENSMUST00000 205584.1	Blm	ENSMUSG00 000030528	Bloom syndrome, RecQ like helicase Source MGI Symbol Acc MGI 1328362
A12	SBM0840313	ENSMUST00000 130500.7	Bnip3	ENSMUSG00 000078566	BCL2/adenovirus E1B interacting protein 3 Source MGI Symbol Acc MGI 109326
B01	SBM0756647	ENSMUST00000 129605.1	Bnip3l	ENSMUSG00 000022051	BCL2/adenovirus E1B interacting protein 3-like Source MGI Symbol Acc MGI 1332659
B02	SBM1033050	ENSMUST00000 218953.1	Btg1	ENSMUSG00 000036478	B cell translocation gene 1, anti-proliferative Source MGI Symbol Acc MGI 88215
B03	SBM0866761	ENSMUST00000 124114.7	Car9	ENSMUSG00 000028463	carbonic anhydrase 9 Source MGI Symbol Acc MGI 2447188
B04	SBM0934555	ENSMUST00000 149329.1	Ccng2	ENSMUSG00 000029385	cyclin G2 Source MGI Symbol Acc MGI 1095734
B05	SBM0973564	ENSMUST00000 186528.6	Cops5	ENSMUSG00 000025917	COP9 signalosome subunit 5 Source MGI Symbol Acc MGI 1349415
B06	SBM0813412	ENSMUST00000 128596.7	Ctsa	ENSMUSG00 000017760	cathepsin A Source MGI Symbol Acc MGI 97748
B07	SBM1018894	ENSMUST00000 020308.4	Ddit4	ENSMUSG00 000020108	DNA-damage-inducible transcript 4 Source MGI Symbol Acc MGI 1921997
B08	SBM0892808	ENSMUST00000 152578.7	Dnajc5	ENSMUSG00 000000826	DnaJ heat shock protein family (Hsp40) member C5 Source MGI Symbol Acc MGI 892995
B09	SBM0992224	ENSMUST00000 021796.8	Edn1	ENSMUSG00 000021367	endothelin 1 Source MGI Symbol Acc MGI 95283
B10	SBM0919431	ENSMUST00000 034469.6	Egln1	ENSMUSG00 000031987	egl-9 family hypoxia-inducible factor 1 Source MGI Symbol Acc MGI 1932286
B11	SBM0881369	ENSMUST00000 108382.1	Egln2	ENSMUSG00 000058709	egl-9 family hypoxia-inducible factor 2 Source MGI Symbol Acc MGI 1932287
B12	SBM0782056	ENSMUST00000 064795.5	Egr1	ENSMUSG00 000038418	early growth response 1 Source MGI Symbol Acc MGI 95295
C01	SBM1066112	ENSMUST00000 033880.6	Eif4ebp1	ENSMUSG00 000031490	eukaryotic translation initiation factor 4E binding protein 1 Source MGI Symbol Acc MGI 103267
C02	SBM0855174	ENSMUST00000 141931.1	Eno1	ENSMUSG00 000063524	enolase 1, alpha non-neuron Source MGI Symbol Acc MGI 95393
C03	SBM0965635	ENSMUST00000 111038.7	Epo	ENSMUSG00 000029711	erythropoietin Source MGI Symbol Acc MGI 95407
C04	SBM0910633	ENSMUST00000 022378.8	Ero1l	ENSMUSG00 000021831	ERO1-like (<i>S. cerevisiae</i>) Source MGI Symbol Acc MGI 1354385
C05	SBM1092174	ENSMUST00000 152034.1	F10	ENSMUSG00 000031444	coagulation factor X Source MGI Symbol Acc MGI 103107
C06	SBM0963811	ENSMUST00000 029771.12	F3	ENSMUSG00 000028128	coagulation factor III Source MGI Symbol Acc MGI 88381
C07	SBM0977461	ENSMUST00000 134311.1	Fos	ENSMUSG00 000021250	FBJ osteosarcoma oncogene Source MGI Symbol Acc MGI 95574
C08	SBM1002970	ENSMUST00000 164300.1	Gbe1	ENSMUSG00 000022707	glucan (1,4-alpha-), branching enzyme 1 Source MGI Symbol Acc MGI 1921435
C09	SBM1045586	ENSMUST00000 038027.5	Gpi1	ENSMUSG00 000036427	glucose phosphate isomerase 1 Source MGI Symbol Acc MGI 95797
C10	SBM0942563	ENSMUST00000 003964.16	Gys1	ENSMUSG00 000003865	glycogen synthase 1, muscle Source MGI Symbol Acc MGI 101805
		ENSMUST00000		ENSMUSG00	

Position	Assay	Name	Symbol	Ensembl ID	Description
C11	SBM1003614	110464.7	Hif1a	ENSMUSG000021109	hypoxia inducible factor 1, alpha subunit Source MGI Symbol Acc MGI 106918
C12	SBM0795811	ENSMUST00000 131032.1	Hif1an	ENSMUSG0000036450	hypoxia-inducible factor 1, alpha subunit inhibitor Source MGI Symbol Acc MGI 2442345
D01	SBM1067797	ENSMUST00000 108492.8	Hif3a	ENSMUSG0000004328	hypoxia inducible factor 3, alpha subunit Source MGI Symbol Acc MGI 1859778
D02	SBM1068583	ENSMUST00000 000642.10	Hk2	ENSMUSG0000000628	hexokinase 2 Source MGI Symbol Acc MGI 1315197
D03	SBM0936413	ENSMUST00000 005548.7	Hmox1	ENSMUSG0000005413	heme oxygenase 1 Source MGI Symbol Acc MGI 96163
D04	SBM0836445	ENSMUST00000 109411.7	Hnf4a	ENSMUSG0000017950	hepatic nuclear factor 4, alpha Source MGI Symbol Acc MGI 109128
D05	SBM1063429	ENSMUST00000 003635.6	Ier3	ENSMUSG0000003541	immediate early response 3 Source MGI Symbol Acc MGI 104814
D06	SBM0693110	ENSMUST00000 020702.10	Igfbp3	ENSMUSG0000020427	insulin-like growth factor binding protein 3 Source MGI Symbol Acc MGI 96438
D07	SBM0676343	ENSMUST00000 047616.9	Jmid6	ENSMUSG0000056962	jumonji domain containing 6 Source MGI Symbol Acc MGI 1858910
D08	SBM1042883	ENSMUST00000 209984.1	Ldha	ENSMUSG0000063229	lactate dehydrogenase A Source MGI Symbol Acc MGI 96759
D09	SBM0732602	ENSMUST00000 146468.3	Lgals3	ENSMUSG0000050335	lectin, galactose binding, soluble 3 Source MGI Symbol Acc MGI 96778
D10	SBM0925223	ENSMUST00000 025409.8	Lox	ENSMUSG0000024529	lysyl oxidase Source MGI Symbol Acc MGI 96817
D11	SBM0811680	ENSMUST00000 145055.1	Map3k1	ENSMUSG0000021754	mitogen-activated protein kinase kinase kinase 1 Source MGI Symbol Acc MGI 1346872
D12	SBM1055926	ENSMUST00000 115442.7	Met	ENSMUSG0000009376	met proto-oncogene Source MGI Symbol Acc MGI 96969
E01	SBM0802241	ENSMUST00000 218267.1	Mif	ENSMUSG0000033307	macrophage migration inhibitory factor (glycosylation-inhibiting factor) Source MGI Symbol Acc MGI 96982
E02	SBM1089430	ENSMUST00000 017881.2	Mmp9	ENSMUSG0000017737	matrix metallopeptidase 9 Source MGI Symbol Acc MGI 97011
E03	SBM0888202	ENSMUST00000 235201.1	Mxi1	ENSMUSG0000025025	MAX interactor 1, dimerization protein Source MGI Symbol Acc MGI 97245
E04	SBM0859199	ENSMUST00000 218491.1	Nampt	ENSMUSG0000020572	nicotinamide phosphoribosyltransferase Source MGI Symbol Acc MGI 1929865
E05	SBM1041717	ENSMUST00000 219373.1	Ncoa1	ENSMUSG0000020647	nuclear receptor coactivator 1 Source MGI Symbol Acc MGI 1276523
E06	SBM0709805	ENSMUST00000 172447.7	Ndrg1	ENSMUSG0000005125	N-myc downstream regulated gene 1 Source MGI Symbol Acc MGI 1341799
E07	SBM0841870	ENSMUST00000 164430.6	Nfkbp1	ENSMUSG0000028163	nuclear factor of kappa light polypeptide gene enhancer in B cells 1, p105 Source MGI Symbol Acc MGI 97312
E08	SBM0681619	ENSMUST00000 030834.6	Nos3	ENSMUSG0000028978	nitric oxide synthase 3, endothelial cell Source MGI Symbol Acc MGI 97362
E09	SBM0976238	ENSMUST00000 220947.1	Odc1	ENSMUSG0000011179	ornithine decarboxylase, structural 1 Source MGI Symbol Acc MGI 97402
E10	SBM1072765	ENSMUST00000 092512.10	P4ha1	ENSMUSG0000019916	procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha 1 polypeptide Source MGI Symbol Acc MGI 97463
E11	SBM1091943	ENSMUST00000 168360.1	P4hb	ENSMUSG0000025130	prolyl 4-hydroxylase, beta polypeptide Source MGI Symbol Acc MGI 97464
E12	SBM0889266	ENSMUST00000 134362.7	Pdk1	ENSMUSG0000006494	pyruvate dehydrogenase kinase, isoenzyme 1 Source MGI Symbol Acc MGI 1926119
F01	SBM0874801	ENSMUST00000 142392.7	Per1	ENSMUSG0000020893	period circadian clock 1 Source MGI Symbol Acc MGI 1098283
F02	SBM1083681	ENSMUST00000 114844.7	Pfkfb3	ENSMUSG0000026773	6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 3 Source MGI Symbol Acc MGI 2181202
F03	SBM0678504	ENSMUST00000 200229.1	Pfkfb4	ENSMUSG0000025648	6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 4 Source MGI Symbol Acc MGI 2687284
F04	SBM0896739	ENSMUST00000 148818.1	Pkl	ENSMUSG0000020277	phosphofructokinase, liver, B-type Source MGI Symbol Acc MGI 97547
F05	SBM0999617	ENSMUST00000 131648.7	Pfkp	ENSMUSG0000021196	phosphofructokinase, platelet Source MGI Symbol Acc MGI 1891833
F06	SBM1005479	ENSMUST00000 237510.1	Pgam1	ENSMUSG0000011752	phosphoglycerate mutase 1 Source MGI Symbol Acc MGI 97552
F07	SBM0900847	ENSMUST00000 220985.1	Pgf	ENSMUSG0000004791	placental growth factor Source MGI Symbol Acc MGI 105095
F08	SBM1225374	ENSMUST00000 081593.12	Pgk1	ENSMUSG0000062070	phosphoglycerate kinase 1 Source MGI Symbol Acc MGI 97555
F09	SBM0769349	ENSMUST00000 234665.1	Pim1	ENSMUSG0000024014	proviral integration site 1 Source MGI Symbol Acc MGI 97584
F10	SBM1088066	ENSMUST00000 214571.1	Pkm	ENSMUSG0000032294	pyruvate kinase, muscle Source MGI Symbol Acc MGI 97591

Position	Assay	Name	Symbol	Ensembl ID	Description
F11	SBM0733272	ENSMUST00000 224141.1	Plau	ENSMUSG00 000021822	plasminogen activator, urokinase Source MGI Symbol Acc MGI 97611
F12	SBM0925479	ENSMUST00000 201912.3	Rbpj	ENSMUSG00 000039191	recombination signal binding protein for immunoglobulin kappa J region Source MGI Symbol Acc MGI 96522
G01	SBM1028864	ENSMUST00000 211440.1	Ruvbl2	ENSMUSG00 000003868	RuvB-like protein 2 Source MGI Symbol Acc MGI 1342299
G02	SBM0809699	ENSMUST00000 041388.10	Serpine1	ENSMUSG00 000037411	serine (or cysteine) peptidase inhibitor, clade E, member 1 Source MGI Symbol Acc MGI 97608
G03	SBM0881693	ENSMUST00000 154187.7	Slc16a3	ENSMUSG00 000025161	solute carrier family 16 (monocarboxylic acid transporters), member 3 Source MGI Symbol Acc MGI 1933438
G04	SBM1008931	ENSMUST00000 144329.7	Slc2a1	ENSMUSG00 000028645	solute carrier family 2 (facilitated glucose transporter), member 1 Source MGI Symbol Acc MGI 95755
G05	SBM1000736	ENSMUST00000 168801.1	Slc2a3	ENSMUSG00 000003153	solute carrier family 2 (facilitated glucose transporter), member 3 Source MGI Symbol Acc MGI 95757
G06	SBM0876179	ENSMUST00000 023486.14	Tfrc	ENSMUSG00 000022797	transferrin receptor Source MGI Symbol Acc MGI 98822
G07	SBM0710917	ENSMUST00000 154883.3	Tpi1	ENSMUSG00 000023456	triosephosphate isomerase 1 Source MGI Symbol Acc MGI 98797
G08	SBM0841427	ENSMUST00000 108657.3	Trp53	ENSMUSG00 000059552	transformation related protein 53 Source MGI Symbol Acc MGI 98834
G09	SBM1060480	ENSMUST00000 049093.7	Txnip	ENSMUSG00 000038393	thioredoxin interacting protein Source MGI Symbol Acc MGI 1889549
G10	SBM1084588	ENSMUST00000 162228.8	Usf2	ENSMUSG00 000058239	upstream transcription factor 2 Source MGI Symbol Acc MGI 99961
G11	SBM1083071	ENSMUST00000 102758.7	Vdac1	ENSMUSG00 000020402	voltage-dependent anion channel 1 Source MGI Symbol Acc MGI 106919
G12	SBM1079198	ENSMUST00000 217017.1	Vegfa	ENSMUSG00 000023951	vascular endothelial growth factor A Source MGI Symbol Acc MGI 103178
H01	SBM1220560	ENSMUST00000 100497.10	Actb	ENSMUSG00 000029580	actin, beta Source MGI Symbol Acc MGI 87904
H02	SBM0675336	ENSMUST00000 102476.4	B2m	ENSMUSG00 000060802	beta-2 microglobulin Source MGI Symbol Acc MGI 88127
H03	SBM1220562	ENSMUST00000 117757.8	Gapdh	ENSMUSG00 000057666	glyceraldehyde-3-phosphate dehydrogenase Source MGI Symbol Acc MGI 95640
H04	SBM1220563	ENSMUST00000 026613.13	Gusb	ENSMUSG00 000025534	glucuronidase, beta Source MGI Symbol Acc MGI 95872
H05	SBM1220564	ENSMUST00000 166469.7	Hsp90ab1	ENSMUSG00 000023944	heat shock protein 90 alpha (cytosolic), class B member 1 Source MGI Symbol Acc MGI 96247
H06	SBM1218554	Sybr_MGDC	MGDC	Sybr_MGDC	Mouse Genomic DNA Contamination
H07	SBH1218551	Sybr_QIC	QIC	Sybr_QIC	QuantiNova Internal Control
H08	SBH1218551	Sybr_QIC	QIC	Sybr_QIC	QuantiNova Internal Control
H09	SBH1218551	Sybr_QIC	QIC	Sybr_QIC	QuantiNova Internal Control
H10	SBH1218550	Sybr_PPC	PPC	Sybr_PPC	Positive PCR Control
H11	SBH1218550	Sybr_PPC	PPC	Sybr_PPC	Positive PCR Control
H12	SBH1218550	Sybr_PPC	PPC	Sybr_PPC	Positive PCR Control



Related products

Product	Contents	Cat. no.
QuantiNova LNA PCR QC Panel	These panels are designed to assess the quality of RNA samples before characterization using QuantiNova LNA PCR Focus Panels; available in 96-well, 384-well, and Rotor-Disc 100 formats	249940
QuantiNova Reverse Transcription Kit (10)*	For 10 x 20 µl reactions: 20 µl 8x gDNA Removal Mix, 10 µl Reverse Transcription Enzyme, 40 µl Reverse Transcription Mix (containing RT primers), 20 µl Internal Control RNA, 1.9 ml RNase-Free Water	205410
QuantiNova SYBR Green RT-PCR Kit (100)*	For 100 x 20 µl reactions: 1 ml QuantiNova SYBR Green RT-PCR Master Mix, 20 µl QuantiNova SYBR Green RT Mix, 20 µl Internal Control RNA, 500 µl Yellow Template Dilution Buffer, 250 µl ROX Reference Dye, 1.9 µl RNase-Free Water	208152
QuantiNova SYBR Green PCR Kit (100)*	For 100 x 20 µl reactions: 1 ml 2x QuantiNova SYBR Green PCR Master Mix, 500 µl QuantiNova Yellow Template Dilution Buffer, 250 µl QN ROX Reference Dye, 1.9 ml Water	208052

*Larger kit sizes available.

The QuantiNova LNA PCR Focus Panels are intended for molecular biology applications. These products are not intended for the diagnosis, prevention or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, LNA®, QuantiNova®, Sample to Insight® (QIAGEN Group); SYBR® (Life Technologies Corp.). Registered names, trademarks, etc. used in this document, even when not specifically marked as such, are not to be considered unprotected by law.

09/2019 © 2019 QIAGEN, all rights reserved.