

QuantiNova® LNA® PCR Focus Panels (96-Well Format and 384-Well [4 x 96] Format)

Mouse TGFb / BMP Signaling Pathway

Cat. no. 249950 SBMM-035ZA

For study focus gene expression analysis

Shipping and storage

QuantiNova LNA PCR Focus Panels are shipped at ambient temperature. Immediately upon receipt, they should be stored at 2–8°C for short term storage or at –30°C to –15°C for long time storage. Under these conditions, all components are stable for at least 12 months.

Note: Open the package and store the products appropriately immediately upon receipt.

For optimal performance, QuantiNova LNA PCR Focus Panels should be used together with the QuantiNova Reverse Transcription Kit for cDNA synthesis and the QuantiNova SYBR® Green PCR Kit (Mastermix) for PCR.

Panel layout (96-well): QuantiNova LNA PCR Focus Panel

For the 384-well (4 × 96) PCR panels, genes are present in a staggered format. Refer to the QuantiNova LNA PCR System Handbook at www.qiagen.com for further details.

	1	2	3	4	5	6	7	8	9	10	11	12
A	Acvr1	Acvr2a	Acvr1l	Amh	Amhr2	Alf4	Bambi	Bglap2	Bmp1	Bmp2	Bmp3	Bmp4
B	Bmp5	Bmp6	Bmp7	Bmper	Bmpr1a	Bmpr1b	Bmpr2	Cdkn1a	Cdkn1b	Cdkn2b	Chrd	Col1a1
C	Col1a2	Dcn	Dlx2	Emp1	Eng	Fos	Fst	Gadd45b	Gdf1	Gdf2	Gdf3	Gdf5
D	Gdf6	Gdf7	Gsc	Herpud1	Id1	Id2	Ifid1	Igf1	Igfbp3	Il6	Inha	Inhba
E	Jun	Junb	Lef1y1	Ltbp1	Ltbp2	Ltbp4	Mecom	Myc	Nodal	Nog	Pdgfb	Plau
F	Runx1	Serpine1	Smod1	Smod2	Smod3	Smod4	Smod5	Smad7	Smurf1	Sox4	Stat1	Tdgf1
G	Tgfb1	Tgfb1i1	Tgfb2	Tgfb3	Tgfb1i	Tgfb1l	Tgfb2r	Tgfb3r	Tgfbrop1	Thbs1	Tnfsf10	Tsc22d1
H	Actb	B2m	Gapdh	Gusb	Hsp90ab1	MGDC	QIC	QIC	QIC	PPC	PPC	PPC

Gene table: QuantiNova LNA PCR Focus Panel

Position	Assay	Name	Symbol	Ensembl ID	Description
A01	SBM0844679	ENSMUST00000 145495.7	Acvr1	ENSMUSG00 000026836	activin A receptor, type 1 Source MGI Symbol Acc MGI 87911
A02	SBM0741110	ENSMUST00000 156681.1	Acvr2a	ENSMUSG00 000052155	activin receptor IIA Source MGI Symbol Acc MGI 102806
A03	SBM0940120	ENSMUST00000 120028.7	Acvr1l	ENSMUSG00 000000530	activin A receptor, type II-like 1 Source MGI Symbol Acc MGI 1338946
A04	SBM0728372	ENSMUST00000 036016.5	Amh	ENSMUSG00 000035262	anti-Mullerian hormone Source MGI Symbol Acc MGI 88006
A05	SBM0676268	ENSMUST00000 229278.1	Amhr2	ENSMUSG00 000023047	anti-Mullerian hormone type 2 receptor Source MGI Symbol Acc MGI 105062
A06	SBM1055409	ENSMUST00000 230434.1	Atf4	ENSMUSG00 000042406	activating transcription factor 4 Source MGI Symbol Acc MGI 88096
A07	SBM0720982	ENSMUST00000 025075.2	Bambi	ENSMUSG00 000024232	BMP and activin membrane-bound inhibitor Source MGI Symbol Acc MGI 1915260
A08	SBM0993924	ENSMUST00000 098956.2	Bglap2	ENSMUSG00 000074486	bone gamma-carboxyglutamate protein 2 Source MGI Symbol Acc MGI 88157
A09	SBM1022339	ENSMUST00000 022693.8	Bmp1	ENSMUSG00 000022098	bone morphogenetic protein 1 Source MGI Symbol Acc MGI 88176
A10	SBM0831820	ENSMUST00000 028836.6	Bmp2	ENSMUSG00 000027358	bone morphogenetic protein 2 Source MGI Symbol Acc MGI 88177
A11	SBM0867543	ENSMUST00000 200388.1	Bmp3	ENSMUSG00 000029335	bone morphogenetic protein 3 Source MGI Symbol Acc MGI 88179
A12	SBM0845886	ENSMUST00000 100676.2	Bmp4	ENSMUSG00 000021835	bone morphogenetic protein 4 Source MGI Symbol Acc MGI 88180
B01	SBM0922578	ENSMUST00000 137213.1	Bmp5	ENSMUSG00 000032179	bone morphogenetic protein 5 Source MGI Symbol Acc MGI 88181
B02	SBM0892506	ENSMUST00000 171970.2	Bmp6	ENSMUSG00 000039004	bone morphogenetic protein 6 Source MGI Symbol Acc MGI 88182
B03	SBM1004016	ENSMUST00000 137247.1	Bmp7	ENSMUSG00 000008999	bone morphogenetic protein 7 Source MGI Symbol Acc MGI 103302
B04	SBM0913745	ENSMUST00000 214050.1	Bmpr	ENSMUSG00 000031963	BMP-binding endothelial regulator Source MGI Symbol Acc MGI 1920480
B05	SBM0924768	ENSMUST00000 165280.7	Bmpr1a	ENSMUSG00 000021796	bone morphogenetic protein receptor, type 1A Source MGI Symbol Acc MGI 1338938
B06	SBM0770064	ENSMUST00000 131273.7	Bmpr1b	ENSMUSG00 000052430	bone morphogenetic protein receptor, type 1B Source MGI Symbol Acc MGI 107191
B07	SBM1052934	ENSMUST00000 190659.1	Bmpr2	ENSMUSG00 000067336	bone morphogenetic protein receptor, type II (serine/threonine kinase) Source MGI Symbol Acc MGI 1095407
B08	SBM1034022	ENSMUST00000 023829.7	Cdkn1a	ENSMUSG00 000023067	cyclin-dependent kinase inhibitor 1A (P21) Source MGI Symbol Acc MGI 104556
B09	SBM1006924	ENSMUST00000 067327.10	Cdkn1b	ENSMUSG00 000003031	cyclin-dependent kinase inhibitor 1B Source MGI Symbol Acc MGI 104565
B10	SBM1002560	ENSMUST00000 097981.5	Cdkn2b	ENSMUSG00 000073802	cyclin dependent kinase inhibitor 2B Source MGI Symbol Acc MGI 104737
B11	SBM1032359	ENSMUST00000 153299.7	Chrd	ENSMUSG00 000006958	chordin Source MGI Symbol Acc MGI 1313268
B12	SBM0911341	ENSMUST00000 139974.1	Col1a1	ENSMUSG00 000001506	collagen, type I, alpha 1 Source MGI Symbol Acc MGI 88467
C01	SBM0673080	ENSMUST00000 132029.1	Col1a2	ENSMUSG00 000029661	collagen, type I, alpha 2 Source MGI Symbol Acc MGI 88468
C02	SBM0910615	ENSMUST00000 219539.1	Dcn	ENSMUSG00 000019929	decorin Source MGI Symbol Acc MGI 94872
C03	SBM0733942	ENSMUST00000 134249.1	Dlx2	ENSMUSG00 000023391	distal-less homeobox 2 Source MGI Symbol Acc MGI 94902
C04	SBM0723043	ENSMUST00000 204299.1	Emp1	ENSMUSG00 000030208	epithelial membrane protein 1 Source MGI Symbol Acc MGI 107941
C05	SBM0877670	ENSMUST00000 156306.1	Eng	ENSMUSG00 000026814	endoglin Source MGI Symbol Acc MGI 95392
C06	SBM0977461	ENSMUST00000 134311.1	Fos	ENSMUSG00 000021250	FBJ osteosarcoma oncogene Source MGI Symbol Acc MGI 95574
C07	SBM1028469	ENSMUST00000 022287.7	Fst	ENSMUSG00 000021765	follistatin Source MGI Symbol Acc MGI 95586
C08	SBM0915027	ENSMUST00000 220246.1	Gadd45b	ENSMUSG00 000015312	growth arrest and DNA-damage-inducible 45 beta Source MGI Symbol Acc MGI 107776
C09	SBM0835725	ENSMUST00000 207684.1	Gdf1	ENSMUSG00 000109523	growth differentiation factor 1 Source MGI Symbol Acc MGI 95683
C10	SBM1079890	ENSMUST00000 100720.1	Gdf2	ENSMUSG00 000072625	growth differentiation factor 2 Source MGI Symbol Acc MGI 1321394
		ENSMUST00000		ENSMUSG00	

Position	Assay	Name	Symbol	Ensembl ID	Description
C11	SBM0688843	032211.4	Gdf3	ENSMUSG0000030117	growth differentiation factor 3 Source MGI Symbol Acc MGI 95686
C12	SBM0811347	ENSMUST00000 040162.2	Gdf5	ENSMUSG0000038259	growth differentiation factor 5 Source MGI Symbol Acc MGI 95688
D01	SBM0980725	ENSMUST00000 057613.2	Gdf6	ENSMUSG0000051279	growth differentiation factor 6 Source MGI Symbol Acc MGI 95689
D02	SBM0694335	ENSMUST00000 220073.1	Gdf7	ENSMUSG0000037660	growth differentiation factor 7 Source MGI Symbol Acc MGI 95690
D03	SBM0992498	ENSMUST00000 021513.5	Gsc	ENSMUSG0000021095	goosecoid homeobox Source MGI Symbol Acc MGI 95841
D04	SBM0746216	ENSMUST00000 161085.7	Herpud1	ENSMUSG0000031770	homocysteine-inducible, endoplasmic reticulum stress-inducible, ubiquitin-like domain member 1 Source MGI Symbol Acc MGI 1927406
D05	SBM0688367	ENSMUST00000 109824.1	Id1	ENSMUSG0000042745	inhibitor of DNA binding 1 Source MGI Symbol Acc MGI 96396
D06	SBM1022270	ENSMUST00000 020974.6	Id2	ENSMUSG0000020644	inhibitor of DNA binding 2 Source MGI Symbol Acc MGI 96397
D07	SBM0791718	ENSMUST00000 165027.8	Ifrd1	ENSMUSG0000001627	interferon-related developmental regulator 1 Source MGI Symbol Acc MGI 1316717
D08	SBM1026650	ENSMUST00000 122386.7	Igf1	ENSMUSG0000020053	insulin-like growth factor 1 Source MGI Symbol Acc MGI 96432
D09	SBM0693110	ENSMUST00000 020702.10	Igfbp3	ENSMUSG0000020427	insulin-like growth factor binding protein 3 Source MGI Symbol Acc MGI 96438
D10	SBM0742623	ENSMUST00000 026845.11	Il6	ENSMUSG0000025746	interleukin 6 Source MGI Symbol Acc MGI 96559
D11	SBM0852039	ENSMUST00000 037330.4	Inha	ENSMUSG0000032968	inhibin alpha Source MGI Symbol Acc MGI 96569
D12	SBM0694869	ENSMUST00000 164993.1	Inhba	ENSMUSG0000041324	inhibin beta-A Source MGI Symbol Acc MGI 96570
E01	SBM1045409	ENSMUST00000 107094.1	Jun	ENSMUSG0000052684	jun proto-oncogene Source MGI Symbol Acc MGI 96646
E02	SBM0879318	ENSMUST00000 064922.6	Junb	ENSMUSG0000052837	jun B proto-oncogene Source MGI Symbol Acc MGI 96647
E03	SBM0716026	ENSMUST00000 037361.8	Lefty1	ENSMUSG0000038793	left right determination factor 1 Source MGI Symbol Acc MGI 107405
E04	SBM0712423	ENSMUST00000 112514.1	Ltbp1	ENSMUSG0000001870	latent transforming growth factor beta binding protein 1 Source MGI Symbol Acc MGI 109151
E05	SBM1087192	ENSMUST00000 002073.12	Ltbp2	ENSMUSG0000002020	latent transforming growth factor beta binding protein 2 Source MGI Symbol Acc MGI 99502
E06	SBM0961507	ENSMUST00000 038618.12	Ltbp4	ENSMUSG0000040488	latent transforming growth factor beta binding protein 4 Source MGI Symbol Acc MGI 1321395
E07	SBM1010089	ENSMUST00000 172694.7	Mecom	ENSMUSG0000027684	MDS1 and EVI1 complex locus Source MGI Symbol Acc MGI 95457
E08	SBM0987162	ENSMUST00000 159338.1	Myc	ENSMUSG000002346	myelocytomatosis oncogene Source MGI Symbol Acc MGI 97250
E09	SBM1015337	ENSMUST00000 049339.6	Nodal	ENSMUSG0000037171	nodal Source MGI Symbol Acc MGI 97359
E10	SBM1083967	ENSMUST00000 061728.4	Nog	ENSMUSG0000048616	noggin Source MGI Symbol Acc MGI 104327
E11	SBM0947438	ENSMUST00000 000500.7	Pdgfb	ENSMUSG0000000489	platelet derived growth factor, B polypeptide Source MGI Symbol Acc MGI 97528
E12	SBM0733272	ENSMUST00000 224141.1	Plau	ENSMUSG0000021822	plasminogen activator, urokinase Source MGI Symbol Acc MGI 97611
F01	SBM0812229	ENSMUST00000 168195.7	Runx1	ENSMUSG000002952	runt related transcription factor 1 Source MGI Symbol Acc MGI 99852
F02	SBM0809699	ENSMUST00000 041388.10	Serpine1	ENSMUSG0000037411	serine (or cysteine) peptidase inhibitor, clade E, member 1 Source MGI Symbol Acc MGI 97608
F03	SBM0887383	ENSMUST00000 109885.7	Smad1	ENSMUSG0000031681	SMAD family member 1 Source MGI Symbol Acc MGI 109452
F04	SBM1009250	ENSMUST00000 165084.7	Smad2	ENSMUSG0000024563	SMAD family member 2 Source MGI Symbol Acc MGI 108051
F05	SBM1002783	ENSMUST00000 034973.9	Smad3	ENSMUSG0000032402	SMAD family member 3 Source MGI Symbol Acc MGI 1201674
F06	SBM1071100	ENSMUST00000 114939.1	Smad4	ENSMUSG0000024515	SMAD family member 4 Source MGI Symbol Acc MGI 894293
F07	SBM0732806	ENSMUST00000 109876.7	Smad5	ENSMUSG0000021540	SMAD family member 5 Source MGI Symbol Acc MGI 1328787
F08	SBM0862681	ENSMUST00000 168918.7	Smad7	ENSMUSG0000025880	SMAD family member 7 Source MGI Symbol Acc MGI 1100518
F09	SBM0958661	ENSMUST00000 110677.7	Smurf1	ENSMUSG0000038780	SMAD specific E3 ubiquitin protein ligase 1 Source MGI Symbol Acc MGI 1923038
F10	SBM1075307	ENSMUST00000 067230.5	Sox4	ENSMUSG0000076431	SRY (sex determining region Y)-box 4 Source MGI Symbol Acc MGI 98366

Position	Assay	Name	Symbol	Ensembl ID	Description
F11	SBM0954168	ENSMUST00000 070968.13	Stat1	ENSMUSG00 000026104	signal transducer and activator of transcription 1 Source MGI Symbol Acc MGI 103063
F12	SBM1058699	ENSMUST00000 035075.12	Tdgf1	ENSMUSG00 000032494	teratocarcinoma-derived growth factor 1 Source MGI Symbol Acc MGI 98658
G01	SBM0850388	ENSMUST00000 002678.9	Tgfb1	ENSMUSG00 000002603	transforming growth factor, beta 1 Source MGI Symbol Acc MGI 98725
G02	SBM0744840	ENSMUST00000 168825.7	Tgfb1i1	ENSMUSG00 000030782	transforming growth factor beta 1 induced transcript 1 Source MGI Symbol Acc MGI 102784
G03	SBM0955433	ENSMUST00000 194960.1	Tgfb2	ENSMUSG00 000039239	transforming growth factor, beta 2 Source MGI Symbol Acc MGI 98726
G04	SBM1022458	ENSMUST00000 003687.7	Tgfb3	ENSMUSG00 000021253	transforming growth factor, beta 3 Source MGI Symbol Acc MGI 98727
G05	SBM1030857	ENSMUST00000 225600.1	Tgfb3i	ENSMUSG00 000035493	transforming growth factor, beta induced Source MGI Symbol Acc MGI 99959
G06	SBM0973351	ENSMUST00000 044234.13	Tgfb3i1	ENSMUSG00 000007613	transforming growth factor, beta receptor I Source MGI Symbol Acc MGI 98728
G07	SBM0784825	ENSMUST00000 035014.7	Tgfb3i2	ENSMUSG00 000032440	transforming growth factor, beta receptor II Source MGI Symbol Acc MGI 98729
G08	SBM0782468	ENSMUST00000 146591.1	Tgfb3i3	ENSMUSG00 000029287	transforming growth factor, beta receptor III Source MGI Symbol Acc MGI 104637
G09	SBM1067200	ENSMUST00000 095014.7	Tgfbtrap1	ENSMUSG00 000070939	transforming growth factor, beta receptor associated protein 1 Source MGI Symbol Acc MGI 2447427
G10	SBM0895247	ENSMUST00000 142588.1	Thbs1	ENSMUSG00 000040152	thrombospondin 1 Source MGI Symbol Acc MGI 98737
G11	SBM0969669	ENSMUST00000 046383.11	Tnfsf10	ENSMUSG00 000039304	tumor necrosis factor (ligand) superfamily, member 10 Source MGI Symbol Acc MGI 107414
G12	SBM0926698	ENSMUST00000 110888.7	Tsc22d1	ENSMUSG00 000022010	TSC22 domain family, member 1 Source MGI Symbol Acc MGI 109127
H01	SBM1220560	ENSMUST00000 100497.10	Actb	ENSMUSG00 000029580	actin, beta Source MGI Symbol Acc MGI 87904
H02	SBM0675336	ENSMUST00000 102476.4	B2m	ENSMUSG00 000060802	beta-2 microglobulin Source MGI Symbol Acc MGI 88127
H03	SBM1220562	ENSMUST00000 117757.8	Gapdh	ENSMUSG00 000057666	glyceraldehyde-3-phosphate dehydrogenase Source MGI Symbol Acc MGI 95640
H04	SBM1220563	ENSMUST00000 026613.13	Gusb	ENSMUSG00 000025534	glucuronidase, beta Source MGI Symbol Acc MGI 95872
H05	SBM1220564	ENSMUST00000 166469.7	Hsp90ab1	ENSMUSG00 000023944	heat shock protein 90 alpha (cytosolic), class B member 1 Source MGI Symbol Acc MGI 96247
H06	SBM1218554	Sybr_MGDC	MGDC	Sybr_MGDC	Mouse Genomic DNA Contamination
H07	SBH1218551	Sybr_QIC	QIC	Sybr_QIC	QuantiNova Internal Control
H08	SBH1218551	Sybr_QIC	QIC	Sybr_QIC	QuantiNova Internal Control
H09	SBH1218551	Sybr_QIC	QIC	Sybr_QIC	QuantiNova Internal Control
H10	SBH1218550	Sybr_PPC	PPC	Sybr_PPC	Positive PCR Control
H11	SBH1218550	Sybr_PPC	PPC	Sybr_PPC	Positive PCR Control
H12	SBH1218550	Sybr_PPC	PPC	Sybr_PPC	Positive PCR Control



Related products

Product	Contents	Cat. no.
QuantiNova LNA PCR QC Panel	These panels are designed to assess the quality of RNA samples before characterization using QuantiNova LNA PCR Focus Panels; available in 96-well, 384-well, and Rotor-Disc 100 formats	249940
QuantiNova Reverse Transcription Kit (10)*	For 10 x 20 µl reactions: 20 µl 8x gDNA Removal Mix, 10 µl Reverse Transcription Enzyme, 40 µl Reverse Transcription Mix (containing RT primers), 20 µl Internal Control RNA, 1.9 ml RNase-Free Water	205410
QuantiNova SYBR Green RT-PCR Kit (100)*	For 100 x 20 µl reactions: 1 ml QuantiNova SYBR Green RT-PCR Master Mix, 20 µl QuantiNova SYBR Green RT Mix, 20 µl Internal Control RNA, 500 µl Yellow Template Dilution Buffer, 250 µl ROX Reference Dye, 1.9 µl RNase-Free Water	208152
QuantiNova SYBR Green PCR Kit (100)*	For 100 x 20 µl reactions: 1 ml 2x QuantiNova SYBR Green PCR Master Mix, 500 µl QuantiNova Yellow Template Dilution Buffer, 250 µl QN ROX Reference Dye, 1.9 ml Water	208052

*Larger kit sizes available.

The QuantiNova LNA PCR Focus Panels are intended for molecular biology applications. These products are not intended for the diagnosis, prevention or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, LNA®, QuantiNova®, Sample to Insight® (QIAGEN Group); SYBR® (Life Technologies Corp.). Registered names, trademarks, etc. used in this document, even when not specifically marked as such, are not to be considered unprotected by law.

09/2019 © 2019 QIAGEN, all rights reserved.