

miRCURY LNA™ miRNA Focus PCR Panels

Rat Immunopathology Product Data Sheet

Cat. no. 339325 YARN-204Z

For mature miRNA expression profiling using real-time PCR

| Format | Suitable real-time cyclers | Plate | Cat. no. |
|--------|---|----------|------------|
| A | Applied Biosystems® models 5700, 7000, 7300, 7500, 7700, 7900HT, ViiA™ 7 (96-well block); Bio-Rad® models iCycler®, iQ™5, MyiQ™, MyiQ2; Bio-Rad/MJ Research Chromo4™; Eppendorf® MasterCycler® ep realplex models 2, 2s, 4, 4s; Stratagene® models Mx3005P®, Mx3000P®; Takara: TP-800 | 96-well | YARN-204ZA |
| C | Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus™, ViiA 7 (Fast block) | 96-well | YARN-204ZC |
| D | Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA Engine Opticon®, DNA Engine Opticon 2; Stratagene Mx4000® | 96-well | YARN-204ZD |
| E | Applied Biosystems® models 7900HT (384-well block), ViiA™ 7 (384-well block); Bio-Rad CFX384™ | 384-well | YARN-204ZE |
| F | Roche® LightCycler® 480 (96-well block) | 96-well | YARN-204ZF |
| G | Roche® LightCycler® 480 (384-well block) | 384-well | YARN-204ZG |

Description

The Rat Immunopathology miRCURY LNA™ miRNA Focus PCR Panel profiles the expression of 84 miRNAs differentially expressed during normal and pathological responses by the immune system. This array provides immunology researchers with a convenient way to quickly analyze the miRNAs most relevant to the function of lymphocytes and other immune cells. The miRNAs have been carefully selected based on results published in peer-reviewed journals that suggest a correlation with inflammation, leukemia, lymphoma, autoimmune disorders, or other immune responses. Other miRNAs included on the array have been shown to functionally target specific transcripts encoding cytokines, other immunological regulatory proteins, and immune response signaling pathway components. The profiling results from this array can serve as a useful molecular marker for the study of normal and disease-associated immune responses. The results may also provide a deeper understanding of the molecular mechanisms regulating immunological gene expression by miRNA. A set of controls present on this array enables data analysis using the $\Delta\Delta CT$ method of relative quantification, assessment of reverse transcription performance, and assessment of PCR performance. Using SYBR Green-based real-time PCR, the expression of a focused panel of miRNAs related to immunopathology can be easily and reliably analyzed with this miRCURY LNA™ miRNA Focus PCR Panel.

For further details, consult the *miRCURY LNA™ miRNA Focus PCR Panels Handbook*.

Array Layout

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|-----------------|-----------------|----------------|-----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|
| A | rno-let-7a-5p | rno-let-7c-5p | rno-let-7d-5p | rno-let-7e-5p | rno-let-7f-5p | rno-miR-103-3p | rno-miR-105 | rno-miR-125a-5p | rno-miR-125b-5p | rno-miR-126a-3p | rno-miR-128-3p | rno-miR-129-5p |
| B | rno-miR-130a-3p | rno-miR-132-3p | rno-miR-134-5p | rno-miR-138-5p | rno-miR-140-5p | rno-miR-142-3p | rno-miR-142-5p | rno-miR-143-3p | rno-miR-145-5p | rno-miR-146a-5p | rno-miR-146b-5p | rno-miR-147 |
| C | rno-miR-150-5p | rno-miR-152-3p | rno-miR-15b-5p | rno-miR-16-5p | rno-miR-17-5p | rno-miR-181a-5p | rno-miR-182 | rno-miR-183-5p | rno-miR-184 | rno-miR-185-5p | rno-miR-186-5p | rno-miR-18a-5p |
| D | rno-miR-191a-5p | rno-miR-194-5p | rno-miR-195-5p | rno-miR-196a-5p | rno-miR-19a-3p | rno-miR-19b-3p | rno-miR-200a-3p | rno-miR-203a-3p | rno-miR-205 | rno-miR-206-3p | rno-miR-207 | rno-miR-20a-5p |
| E | rno-miR-20b-5p | rno-miR-21-5p | rno-miR-210-3p | rno-miR-214-3p | rno-miR-223-3p | rno-miR-23b-3p | rno-miR-26a-5p | rno-miR-26b-5p | rno-miR-27a-3p | rno-miR-27b-3p | rno-miR-28-5p | rno-miR-296-3p |
| F | rno-miR-298-5p | rno-miR-299a-5p | rno-miR-29b-3p | rno-miR-29c-3p | rno-miR-30b-5p | rno-miR-30c-5p | rno-miR-30e-5p | rno-miR-31a-5p | rno-miR-320-3p | rno-miR-323-3p | rno-miR-325-5p | rno-miR-331-3p |
| G | rno-miR-34a-5p | rno-miR-34c-5p | rno-miR-363-3p | rno-miR-379-5p | rno-miR-383-5p | rno-miR-409a-3p | rno-miR-451-5p | rno-miR-493-3p | rno-miR-672-5p | rno-miR-9a-5p | rno-miR-98-5p | rno-miR-99b-5p |
| H | cel-miR-39-3p | cel-miR-39-3p | U6 snRNA (V2) | 5S rRNA | RNU5G | RNU1A1 | Unisp2 | Unisp4 | Unisp5 | Unisp6 | Unisp3 | Unisp3 |

miRNA Table

| Well | miRNA ID | Accession # | Assay Catalog # | Well | miRNA ID | Accession # | Assay Catalog # |
|------|-----------------|--------------|-----------------|------|-----------------|--------------|-----------------|
| A01 | rno-let-7a-5p | MIMAT0000062 | YP00205727 | E01 | rno-miR-20b-5p | MIMAT0001413 | YP00204755 |
| A02 | rno-let-7c-5p | MIMAT0000064 | YP00204767 | E02 | rno-miR-21-5p | MIMAT0000076 | YP00204230 |
| A03 | rno-let-7d-5p | MIMAT0000065 | YP00204124 | E03 | rno-miR-210-3p | MIMAT0000267 | YP00204333 |
| A04 | rno-let-7e-5p | MIMAT0000066 | YP00205711 | E04 | rno-miR-214-3p | MIMAT0000885 | YP00205512 |
| A05 | rno-let-7f-5p | MIMAT0000067 | YP00204359 | E05 | rno-miR-223-3p | MIMAT0000892 | YP00205120 |
| A06 | rno-miR-103-3p | MIMAT0000101 | YP00204063 | E06 | rno-miR-23b-3p | MIMAT0000125 | YP02119756 |
| A07 | rno-miR-105 | MIMAT0012825 | YP00205105 | E07 | rno-miR-26a-5p | MIMAT0000082 | YP00206023 |
| A08 | rno-miR-125a-5p | MIMAT0000443 | YP00204339 | E08 | rno-miR-26b-5p | MIMAT0000083 | YP00204172 |
| A09 | rno-miR-125b-5p | MIMAT0000423 | YP00205713 | E09 | rno-miR-27a-3p | MIMAT0000084 | YP00206038 |
| A10 | rno-miR-126a-3p | MIMAT0000445 | YP00204227 | E10 | rno-miR-27b-3p | MIMAT0000419 | YP00205915 |
| A11 | rno-miR-128-3p | MIMAT0000424 | YP00205995 | E11 | rno-miR-28-5p | MIMAT0000085 | YP00204322 |
| A12 | rno-miR-129-5p | MIMAT0000242 | YP00204534 | E12 | rno-miR-296-3p | MIMAT0004679 | YP00204393 |
| B01 | rno-miR-130a-3p | MIMAT0000425 | YP00204658 | F01 | rno-miR-298-5p | MIMAT0000376 | YP00205092 |
| B02 | rno-miR-132-3p | MIMAT0000426 | YP00206035 | F02 | rno-miR-299a-5p | MIMAT0002890 | YP00204544 |
| B03 | rno-miR-134-5p | MIMAT0000447 | YP00205989 | F03 | rno-miR-29b-3p | MIMAT0000100 | YP00204679 |
| B04 | rno-miR-138-5p | MIMAT0000430 | YP00206078 | F04 | rno-miR-29c-3p | MIMAT0000681 | YP00204729 |
| B05 | rno-miR-140-5p | MIMAT0000431 | YP00204540 | F05 | rno-miR-30b-5p | MIMAT0000420 | YP00204765 |
| B06 | rno-miR-142-3p | MIMAT0000434 | YP00204291 | F06 | rno-miR-30c-5p | MIMAT0000244 | YP00204783 |
| B07 | rno-miR-142-5p | MIMAT0000433 | YP00204722 | F07 | rno-miR-30e-5p | MIMAT0000692 | YP00204714 |
| B08 | rno-miR-143-3p | MIMAT0000849 | YP00205106 | F08 | rno-miR-31a-5p | MIMAT0000538 | YP00205159 |
| B09 | rno-miR-145-5p | MIMAT0000437 | YP00204483 | F09 | rno-miR-320-3p | MIMAT0000510 | YP00206042 |
| B10 | rno-miR-146a-5p | MIMAT0000449 | YP00204688 | F10 | rno-miR-323-3p | MIMAT0000755 | YP00204278 |
| B11 | rno-miR-146b-5p | MIMAT0005595 | YP00205107 | F11 | rno-miR-325-5p | MIMAT0000558 | YP00205417 |
| B12 | rno-miR-147 | MIMAT0004857 | YP02119770 | F12 | rno-miR-331-3p | MIMAT0000760 | YP00206046 |
| C01 | rno-miR-150-5p | MIMAT0000451 | YP00204660 | G01 | rno-miR-34a-5p | MIMAT0000255 | YP00204486 |
| C02 | rno-miR-152-3p | MIMAT0000438 | YP00204294 | G02 | rno-miR-34c-5p | MIMAT0000686 | YP00205659 |
| C03 | rno-miR-15b-5p | MIMAT0000417 | YP00204243 | G03 | rno-miR-363-3p | MIMAT0003210 | YP02103062 |
| C04 | rno-miR-16-5p | MIMAT0000069 | YP00205702 | G04 | rno-miR-379-5p | MIMAT0000733 | YP00205658 |
| C05 | rno-miR-17-5p | MIMAT0000070 | YP02119304 | G05 | rno-miR-383-5p | MIMAT0003114 | YP00205543 |
| C06 | rno-miR-181a-5p | MIMAT0000256 | YP00206081 | G06 | rno-miR-409a-3p | MIMAT0003205 | YP00205544 |
| C07 | rno-miR-182 | MIMAT0000211 | YP00205089 | G07 | rno-miR-451-5p | MIMAT0001631 | YP02119305 |
| C08 | rno-miR-183-5p | MIMAT0000261 | YP00206030 | G08 | rno-miR-493-3p | MIMAT0003191 | YP00205141 |
| C09 | rno-miR-184 | MIMAT0000454 | YP00204601 | G09 | rno-miR-672-5p | MIMAT0003735 | YP00205170 |
| C10 | rno-miR-185-5p | MIMAT0000455 | YP00206037 | G10 | rno-miR-9a-5p | MIMAT0000441 | YP00204513 |
| C11 | rno-miR-186-5p | MIMAT0000456 | YP00206053 | G11 | rno-miR-98-5p | MIMAT0000096 | YP00204640 |
| C12 | rno-miR-18a-5p | MIMAT0000072 | YP00204207 | G12 | rno-miR-99b-5p | MIMAT0000689 | YP00205983 |
| D01 | rno-miR-191a-5p | MIMAT0000440 | YP00204306 | H01 | cel-miR-39-3p | MIMAT0000010 | YP00203952 |
| D02 | rno-miR-194-5p | MIMAT0000460 | YP00204080 | H02 | cel-miR-39-3p | MIMAT0000010 | YP00203952 |
| D03 | rno-miR-195-5p | MIMAT0000461 | YP00205869 | H03 | U6 snRNA (v2) | N/A | YP02119464 |
| D04 | rno-miR-196a-5p | MIMAT0000226 | YP00204386 | H04 | 5S rRNA | N/A | YP00203906 |
| D05 | rno-miR-19a-3p | MIMAT0000073 | YP00205862 | H05 | RNU5G | N/A | YP00203908 |
| D06 | rno-miR-19b-3p | MIMAT0000074 | YP00204450 | H06 | RNU1A1 | N/A | YP00203909 |
| D07 | rno-miR-200a-3p | MIMAT0000682 | YP00204707 | H07 | UniSp2 | N/A | YP00203950 |
| D08 | rno-miR-203a-3p | MIMAT0000264 | YP00205914 | H08 | UniSp4 | N/A | YP00203953 |
| D09 | rno-miR-205 | MIMAT0000878 | YP00205958 | H09 | UniSp5 | N/A | YP00203955 |
| D10 | rno-miR-206-3p | MIMAT0000462 | YP00206073 | H10 | UniSp6 | N/A | YP00203954 |
| D11 | rno-miR-207 | MIMAT0003115 | YP00205509 | H11 | UniSP3 | N/A | YP02119288 |
| D12 | rno-miR-20a-5p | MIMAT0000075 | YP00204292 | H12 | UniSP3 | N/A | YP02119288 |

Functional Groupings

Leukemia & Lymphoma

Hodgkin's Lymphoma: rno-miR-126a-3p,rno-miR-128-3p,rno-miR-129-5p,rno-miR-130a-3p,rno-miR-132-3p,rno-miR-134-5p,rno-miR-138-5p,rno-miR-140-5p,rno-miR-142-3p,rno-miR-142-5p,rno-miR-145-5p,rno-miR-147,rno-miR-15b-5p,rno-miR-181a-5p,rno-miR-183-5p,rno-miR-185-5p,rno-miR-200a-3p,rno-miR-205,rno-miR-20b-5p,rno-miR-21-5p,rno-miR-23b-3p,rno-miR-26a-5p,rno-miR-26b-5p,rno-miR-27a-3p,rno-miR-28-5p,rno-miR-29b-3p,rno-miR-30c-5p,rno-miR-31a-5p,rno-miR-323-3p,rno-miR-325-5p,rno-miR-34a-5p,rno-miR-34c-5p,rno-miR-9a-5p.

Primary Effusion Lymphoma: rno-miR-103-3p,rno-miR-140-5p,rno-miR-142-3p,rno-miR-152-3p,rno-miR-16-5p,rno-miR-17-5p,rno-miR-182,rno-miR-186-5p,rno-miR-191a-5p,rno-miR-194-5p,rno-miR-19a-3p,rno-miR-210-3p,rno-miR-23b-3p,rno-miR-26a-5p,rno-miR-29b-3p,rno-miR-30e-5p,rno-miR-320-3p,rno-miR-331-3p,rno-miR-34a-5p.

T-Cell Leukemia: rno-miR-132-3p,rno-miR-19b-3p,rno-miR-20b-5p,rno-miR-363-3p.

Autoimmune Disorders

Idiopathic Thrombocytopenic Purpura: rno-miR-17-5p,rno-miR-196a-5p,rno-miR-214-3p,rno-miR-296-3p,rno-miR-298-5p,rno-miR-379-5p,rno-miR-383-5p,rno-miR-409a-3p.

Systemic Lupus Erythematosus: rno-miR-142-3p,rno-miR-17-5p,rno-miR-184,rno-miR-196a-5p,rno-miR-21-5p,rno-miR-298-5p,rno-miR-383-5p,rno-miR-409a-3p.

Inflammatory Responses

IL-1 Induced Inflammatory Response: rno-miR-146a-5p,rno-miR-146b-5p,rno-miR-195-5p,rno-miR-26b-5p,rno-miR-296-3p,rno-miR-299a-5p.

Inflammation Mediators: rno-miR-203a-3p.

Macrophage Inflammatory Response: rno-miR-132-3p.

Vascular Inflammation: rno-miR-126a-3p,rno-miR-21-5p.

Other Inflammatory Response miRNAs: rno-miR-125a-5p,rno-miR-125b-5p.

Innate Immune Response: rno-miR-105,rno-miR-146a-5p,rno-miR-146b-5p,rno-miR-19a-3p,rno-miR-19b-3p,rno-miR-299a-5p.

Induced in Monocytes by Lipopolysaccharide (LPS): rno-let-7e-5p,rno-miR-132-3p,rno-miR-146a-5p,rno-miR-146b-5p,rno-miR-99b-5p,rno-miR-9a-5p.

Immune Cells

B Cell Differentiation: rno-miR-150-5p.

Invariant Natural Killer Cell Development: rno-miR-150-5p.

Lymphocytes: rno-let-7e-5p,rno-miR-125a-5p,rno-miR-125b-5p,rno-miR-142-5p,rno-miR-143-3p,rno-miR-145-5p,rno-miR-146a-5p,rno-miR-195-5p,rno-miR-206-3p,rno-miR-207,rno-miR-223-3p,rno-miR-451-5p,rno-miR-493-3p,rno-miR-672-5p.

Monocytopoiesis: rno-miR-17-5p,rno-miR-20a-5p.

Natural Regulatory T Cells: rno-miR-103-3p,rno-miR-142-5p,rno-miR-150-5p,rno-miR-15b-5p,rno-miR-16-5p,rno-miR-191a-5p,rno-miR-19a-3p,rno-miR-21-5p,rno-miR-214-3p,rno-miR-223-3p,rno-miR-26a-5p,rno-miR-27b-3p,rno-miR-29c-3p,rno-miR-30b-5p,rno-miR-30c-5p,rno-miR-30e-5p.

Th2 Cells: rno-miR-126a-3p.

Targets Relevant Genes

Targets Cytokines: rno-miR-98-5p.

Targets Interferons & Receptors: rno-miR-146a-5p,rno-miR-223-3p.

Targets Interleukins: rno-miR-146a-5p,rno-miR-181a-5p,rno-miR-223-3p.

Targets STAT3: rno-miR-18a-5p.

Targets STAT4: rno-miR-19a-3p.

Targets STAT5: rno-miR-19b-3p.

Targets STAT6: rno-miR-20a-5p.

Signal Transduction

IL6 / STAT3 Signaling: rno-let-7a-5p,rno-let-7c-5p,rno-let-7d-5p,rno-let-7f-5p,rno-miR-17-5p,rno-miR-21-5p.

NFkB Signaling: rno-miR-146a-5p.

Ordering Information

| Product | Contents | Cat. no. |
|---|--|----------|
| miRCURY LNA miRNA Focus PCR Panels | miRCURY LNA miRNA PCR Panels for application-based miRNome profiling, available in 96-well or 384-well format; for SYBR® Green-based detection | 339325 |
| miRCURY LNA miRNA miRNome PCR Panels | miRCURY LNA miRNA PCR Panels for PCR-based miRNome profiling, available in 384-well format; for SYBR® Green-based detection | 339322 |
| miRCURY LNA miRNA QC PCR Panel | miRCURY LNA miRNA PCR Panel of quality control assays, available in 96-well or 384-well format; for SYBR® Green-based detection | 339331 |
| miRCURY LNA miRNA Custom PCR Panels | 8 identical, ready-to-use 96- or 384-well plates; each well contains primers sufficient for one 10 µl reaction; for SYBR® Green-based detection | 339330 |
| miRCURY LNA Custom PCR Panel Additional Plate | Additional miRCURY LNA Custom PCR Panel plates; set of 4 plates; only available in addition to the base plates ordered through the core product (cat. no. 339330) | 339332 |
| miRCURY LNA miRNA PCR Assays | Contains forward and reverse primers for 200 SYBR® Green-based, real-time qPCR reactions, 166 EvaGreen-based digital PCR reactions for Nanoplate 8.5k or 50 EvaGreen-based digital PCR reactions for Nanoplate 26k | 339306 |
| miRCURY LNA miRNA Probe PCR Assays | Complete premixed assays containing LNA-enhanced target-specific forward primer and probe. For 200 reactions. | 339350 |
| miRCURY LNA miRNA Custom Probe PCR Assays | Custom-designed, target-specific forward primer and probe for any user-defined miRNA target. Complete premixed assay for 200 reactions. | 339351 |

Related Products

| Product | Contents | Cat. no. |
|---|--|----------|
| miRCURY LNA RT Kit | For 8–64 cDNA synthesis reactions: 5x RT SYBR Green Reaction Buffer, 5x RT Probe Reaction Buffer, 10x RT Enzyme Mix, UniSp6, RNA Spike-in template, RNase-Free Water | 339340 |
| RNA Spike-In Kit, For RT | Contains the UniSp2, UniSp4, and UniSp5 RNA Spike-in Template Mix and the cel-miR-39-3p RNA Spike-in Template | 339390 |
| miRCURY LNA SYBR® Green PCR Kits (200) | For 200 reactions: 2X miRCURY SYBR Green Master Mix, RNase-Free Water | 339345 |
| miRCURY LNA SYBR® Green PCR Kits (600) | For 600 reactions: 2X miRCURY SYBR Green Master Mix, RNase-Free Water | 339346 |
| miRCURY LNA SYBR® Green PCR Kits (4000) | For 4000 reactions: 2X miRCURY SYBR Green Master Mix, RNase-Free Water | 339347 |
| miRCURY LNA Probe PCR Kit (200) | For 200 reactions: 2X QuantiNova Probe Master Mix, 10X miRCURY Probe Univ. Primer, Rox Reference Dye, RNase-Free Water | 339371 |
| miRCURY LNA Probe PCR Kit (800) | For 800 reactions: 2X QuantiNova Probe Master Mix, 10X miRCURY Probe Univ. Primer, Rox Reference Dye, RNase-Free Water | 339372 |
| miRCURY LNA Probe PCR Kit (4000) | For 4000 reactions: 2X QuantiNova Probe Master Mix, 10X miRCURY Probe Univ. Primer, Rox Reference Dye, RNase-Free Water | 339373 |
| miRCURY LNA miRNA PCR Starter Kit | Two miRCURY LNA PCR Assays of your choice, spike-in control Assay (UniSp6), one candidate endogenous control assay (miR-103-3p) and all reagents for 20 reverse transcription reactions and 100 PCR amplifications; for SYBR® Green-based qPCR detection | 339320 |

Important

The miRCURY LNA™ miRNA PCR Panels are Ready-to-Use and designed for optimal performance with the miRCURY LNA RT Kit and the miRCURY LNA SYBR® Green PCR Kit. The performance of the primer sets will be affected when used in combination with less than optimal reagents. Use the miRCURY LNA miRNA PCR Panel Handbook for experiment setup. RNA work requires specific handling and precautions should be taken to prevent RNase contamination and degradation of the RNA sample and reagents.

Shipping and storage

The Ready-to-Use miRCURY LNA miRNA PCR Panels are shipped at room temperature and can be stored at 4°C for at least 6 months. For long term storage, it is recommended to place the panels at -20°C. Under these conditions, the LNA PCR primers are stable for at least 6 months after receipt.

Intended use

miRCURY LNA miRNA PCR Assays are intended for molecular biology applications. This product is not intended for the diagnosis, prevention or treatment of a disease.

Safety information

When working with chemicals, always wear a suitable lab coat, disposable gloves, and protective goggles. For more information, please consult the appropriate safety data sheets (SDSs). These are available online in convenient and compact PDF format at www.qiagen.com/safety where you can find, view and print the SDS for each QIAGEN kit and kit component.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Sample to Insight®, GeneGlobe®, LNA™ (QIAGEN Group), SYBR® (Life Technologies Corporation). Registered names, trademarks, etc. used in this document, even when not specifically marked as such, are not to be considered unprotected by law. 1107212 05/2017 HB-2376-001 © 2017 QIAGEN, all rights reserved.
